

Office of the Principal, Rajiv Gandhi Institute of Technology,
Kottayam

SHORT TENDER NOTICE

No. D1/3052/22/RIT

Dated: 03.07.2022

e-tenders are invited for the supply of various equipments for the use of
Transportation/Pavement Engineering lab in Civil Engineering Department of Rajiv Gandhi Institute
of Technology, Kottayam.

Sl.No	Tender No	Item
1	D1/3052/22/RIT	Laboratory Oven (Specifications attached)
2	D1/3052/22/RIT	Asphalt mixer(Specifications attached)
3	D1/3052/22/RIT	Waterbath(Specifications attached)



PRINCIPAL
RAJIV GANDHI INSTITUTE OF TECHNOLOGY
VELLOOR P. O, KOTTAYAM
KERALA, PIN-686 501

+

1. ₹Cost of e-tender


:₹ 1,062/- including GST₹
162/-

Last date and time of submission of e- tender :25/07/2022, 10 am
Date and time of opening of Technical Bid of e-tender :27/07/2022, 03 pm
Date up to which rates are to be firm :30/06/2023

Total Estimated cost- ₹ 2,85,000/-

Cost of tender form is acceptable only by on-line payment. As per condition the tenderer should send along with his tender an agreement executed and signed in Kerala Stamp paper worth Rs.220/- and Earnest money deposit ,1%(Minimum amount ₹ 1500/-) of the total cost of articles tendered. Tenders without agreement, tender form and Earnest money deposit will be rejected.

While filing the BOQ care should be there as only gross amount will be consider for financial bid. GST may be calculated on the total amount (column 13)and should be on par with government approved rate.



Copy to College site , SF ,OC

Dr. Sathishkumar C
Principal

PRINCIPAL
RAJIV GANDHI INSTITUTE OF TECHNOLOGY
VELLOOR P. O, KOTTAYAM
KERALA, PIN-686 501

List of Required Items

Sl. No.	Item with specification	Quantity
1.	<p>Laboratory Oven Tem.range: 50C to 2500C,Temp.accuracy: $\pm 0.50C$,supply:230V,AC,Capacity - 125 litres ,Internal dimensions,60x45x45cm with safety digital temperature controller, stainless steel inside,heavy duty fittings and door closure ,Safety digital temperature controller,Digital Timer</p>	1 No.
2	<p>Asphalt mixer, for mixing asphalt sample. Capacity 10 Litre, pan heater temperature range- room temperature to 2500C, Temperature control accuracy ± 3 degree, Mixing time 1-999 Seconds, paddle rotation speed 75 rpm, paddle revolution speed - 48 rpm</p>	1No.
3	<p>Waterbath with cooling and heating arrangements with digital temperature controller, size 46 cmx46 cmx 50 cm and temperature range of 5 degree to 100 degree</p>	1 No



PRINCIPAL
 RAJIV GANDHI INSTITUTE OF TECHNOLOGY
 VELLOOR P. O, KOTTAYAM